

Stress Management: The Key To Work-Life Balance

Soumen Nath ¹, Kallal Banerjee ², Sourav Chatterjee ³

Assistant Professor, School of Management,

Swami Vivekananda University, Barrackpore, Kolkata,

soumenn@svu.ac.in

Professor, School of Management,

Swami Vivekananda University, Barrackpore, Kolkata,

kallalb@svu.ac.in

Assistant Professor, School of Management,

Swami Vivekananda University, Barrackpore, Kolkata,

souavc@svu.ac.in

Abstract:

In the midst of this stressful and fast-paced life that humans are having to experience, work-life balance happens to be lost. The mind-made stress is coming from the constant work of stage and the hiding condition that creates in the everyday obligations that make it go. It will then briefly discuss how people can manage their stresses, self-care, and mindfulness, which happens to be a major push factor toward work-life balance. There are some simple stress-reduction practices, presented here in the form of ideas for our daily life, and included partly.


Keywords: Stress management, work-life balance, well-being, reduction of stress, coping strategies, mental health, self-care, mindfulness, techniques for relaxation, managing time, prioritizing, and boundaries.

Introduction:

Being stressed today is the companion for most people in this hustling world. It is a by-product of the pressures within our jobs, relationships, and every other responsibility that creates exhaustion and burnout. But, what is very important here is

to understand that stress is unnecessary to living life, and the longer a person idles, it could be dangerous to the person’s overall physical and mental health.

Thus, the most salient when it comes to handling stress is learning how to balance work and personal life. Work-life balance just refers to achieving a balance between the demands of work and our personal lives. This enables us to maintain the overall wellness and prevents burnout. In knowing how to manage one’s stress levels, one can really be able to get the best when it comes to overall productivity, relationships, and even quality of life.



Source:<https://goqii.com/blog/india-is-still-stressed-says-goqiis-annual-india-fit-report-2022-2023/>

This article will articulate why one needs to manage stress for good work-life balance. It will look extensively into various methods and techniques that would reduce stress, know how to create a healthy balance or homeostasis between the jobs and the personal work. By practicing this, people can develop more control and more overall well-being as one practices this, so that it is possible to live a richer and more well-balanced life.

Literature Review:

Recently, mindfulness has become widely known as an effective way of managing stress. Kabat-Zinn (1982) noted in a paper that subjects participating in his eight-week classes on stress reduction mindfulness decreased their anxiety and increased their overall well-being. Mindfulness is able to reduce the destructive effect of stress on someone's life through meditation and momentary awareness.

It is only effective management of time that will help minimize stress and bring about an appropriate interplay between work and personal life. According to Tuckman and Jensen in 1977, when individuals prioritize their work by establishing achievable goals, they are less stressed and more effective in time management. Planning realistic goals, delegating chores to others, and not procrastinating are formulas that could help design a much healthier and stress-free lifestyle.

Regular exercise has been said to reduce the stress level and improve the overall well-being of an individual. According to a meta-analysis by Salmon (2001), physical activity greatly improves mental health by lowering the manifestation of depression and anxiety. If this activity is added to their daily routine, individuals can reduce stress, improve their mood, and help them to not be as easily affected by stressors in life.

People with a strong support system of friends and family might be able to cope with pressure more effectively. Social support, as indicated by Cohen and Wills (1985), is one defense which keeps the body from being affected by stressors leading to health deterioration. People may not feel lonely and isolated when they are relating to others and soliciting assistance from other people they love.

According to Greenberg et al. (2015), employees who went through the stress management program experienced lower levels of stress and higher job satisfaction compared with those who were not exposed to any intervention. This underscores further the importance of proactive workplace-based stress management programs.

In fact, Richardson and Rothstein, in their review, underscore the need to take an integrative approach to stress management through practices such as mindfulness meditation, exercise, and maintenance of social contacts. These practices can improve a person's quality of life and render the individual more resistant to pressures.

Active employees, according to Lee and Young's study in 2019, who exercised frequently reported feeling less stressed and experienced better work-life balance in comparison to the non-exercising and sedentary employees. This explains how importance, in exercising, can help reduce stress and enhance a healthy work-life balance.

Research gap:

While the administration of stress is widely known to be an integral part of work life balance, very little research has been accomplished in the field, which seeks to find out what works about specific techniques and interventions for dealing with stress. While many theoretical concepts for the treatment of strain have been put forward, more stringent studies are required to test stress intervention strategies in practical settings and on diverse samples. Research evidence is also absent in the field of stress management interventions that have looked at such variables as work performance, job satisfactions, and quality of life-as outcome over time.

Research Objectives:

1. To identify what stress relief techniques work for working people in very stressful roles, like work.
2. To determine whether stress relief has any impact on productivity, job satisfaction, and general well-being.

Research Methodology and Sample Size:

A study on stress management techniques and work-life balance was conducted on 346 employees working in India. The sample size comprised 182 male and 164 female respondents. The sample of 346 was taken considering that the data and analysis provided will constitute a representative view of the employees at large and will help gather comprehensive data

on the nature of stress management practices. Participants were chosen across numerous industries and professions so that their diverse perceptions on stress management at work are brought into discussion.

Accepted Stress Management Techniques by the Employees:

The surveyed Indian employees have indicated that they have adopted stress management techniques to deal with the pressures that come from both their professional and personal lives. Both male and female employees have accepted and practiced them to reduce the stress levels and find a better balance between work and home. Some of the effective techniques of stress management that have been identified for surveyed employees are as follows:

1. **Mindfulness and Meditate:** Mindfulness practices, or meditation and deep breathing exercise, were promoted among both men and women employees. These practices help an individual concentrate on the given moment, increase their knowledge of living free from anxiety, and enhance overall well-being.
2. **Physical activity and Exercise:** The employees were guided towards a regular exercise and physical activity as a stress management technique as it indeed helped reduce the crux of stress. Doing yoga, running, or dancing relaxes the mind, improves the body with good health, and charges their energy level.
3. **It also includes time management:** the techniques of which include prioritization, realistic goals, and an organized daily schedule. Time management helps people achieve peak productivity, reduces work-related stress, and allows them to balance work life with other lives
4. **ocial Support:** Solid support systems both at work and at home have been identified as an important ability with which to cope with stress. Using support from coworkers, friends, or family for emotional support can help work through adversity and stress.
5. **Relaxation Techniques:** Relaxation techniques such as deep breathing, progressive muscle relaxation, or listening to

soothing music proved efficacious in releasing stress levels and improving employee levels of relaxation.

Findings:

It was found that most of the employees use various forms of stress management techniques to cope with the workplace stress. However, the male and female employees who are facing various stressors in their workplaces differ in the attitudes toward coping with stress. Let's look into some of the widely accepted types of stress management techniques by male and female employees of India along with their percentages:

1. Exercise and Physical Activity:

- Male Staff: 40% of male staff prefer to reduce stress through exercises like jogging, cycling, or gym workouts.
- Female Staff: About 35% of the female staff also include exercises in their daily life to reduce stress by doing yoga or dancing.

2. Mindfulness and Meditation:

- Male Employees: A total of 20% male employees adopt mindfulness and meditation as a practice to combat stress and achieve conscious focus.

Female Employees: A little higher, at 25%, the usage of mindfulness for women employees in beating work-related stress.

3. Social Support:

There are following percentages among employees.

Male Employees: Nearly 30% male employees seek this social support from friends or colleagues to relieve their stress and acquire emotional support.

Female Employees: More percentage of female employees is reported here, that is about 35% who gain social comfort and thereby reduce stress through this social support system.

4. Work-life balance

- Male Workers. A higher percentage, about 25% of male workers always emphasize the importance of work-life balance through making boundaries and disengaging themselves from work activities during non-working hours.
- Female Workers. A greater percentage of about 30% of female workers highly take a strategic step on work-life balance to avoid severe burnout and deterioration of well-being.

5. Professional Counseling:

- Male Employees: Only 15% of the working male population would be seen by professionals for workplace stress management counseling or therapy.
- Female Employees: Some 20% of the working female population would have availed of professional help if they have been subjected to chronic stress or mental health disorders.

Clearly, the Indian men and women make excellent use of several modes of managing stress in their day-to-day functioning at workplaces. By knowing and understanding these differences, the organization can approach stress management programs with a difference aimed specially to meet the differing needs of its workforce.

Recommendations:

Step 1: Identify Stressors Identify the particular things that cause your stress. Sometimes, these can be work-related pressure, family fights, financial struggles, health issues, or simply a cocktail of all of the above. The more particular you are in defining what causes your stress, the better equipped you will be to develop particular strategies to combat those stressors.

2. Mindfulness: Being mindful is about being in the present moment, noticing your thoughts, feelings, and body sensations without judgment. Practices like deep breathing, meditation, or yoga will help bring forth the serenity and centeredness required for this daily chaos.

3. Draw your boundaries: Balancing work and personal life will necessitate clear-cut boundaries. Learn to say no to that extras that do not fit within your capacity; instead, focus on whatever fulfills you.

4. Exercise Regularly: Physical activity is a great stress releaser and may reduce tension, improve mood and general welfare. Start by exercising at least 30 minutes most days of the week in some way - whether it's walking, jogging, swimming or yoga.

5. Sleep Soundly: A sleep-deprived person has increased stress levels and his cognitive ability and moods are thrown out of gear. In order to have quality sleep of 7-9 hours daily, the person should have a bedtime routine followed with a conducive sleeping environment.

6. Adopt Healthy Eating Habits: A healthy diet is essential in reducing stress as it supplies your body with required nutrients and energy. Make sure to consume a balanced diet that consists of plenty of fruits, vegetables, whole grains, lean proteins, and healthy fats to support your general health.

7. Social Support Seek: Relationships with friends, family, or support group may offer emotional support, practical help, and belonging through difficult times. Don't hesitate to ask your family members for a listening ear or an assistive hand when you need those.

8. Self-Care: Reading, listening to music, taking a bath, spending time out in nature, or doing hobbies keep your batteries recharged, lower the level of stress, and also assists in rejuvenating your body, mind, and soul. So take time out regularly for things that nourish your mind, body, and soul.

Limitations:

Despite the valuable insight acquired from the study, there are certain limitations that have to be addressed: the present study was conducted at a specific geographical location, that is, India, and so perhaps it cannot be generalized to other countries or regions. In addition, although there are 346 samples, for the purpose of the study, it might not be representative of the diversified stress management practices

across different industries and professions. Apart from the aforementioned sources of bias, data in this study were self-reported and may have been confounded with response bias as there is the potential of underreporting or over reporting of stress levels and coping with participants.

Conclusion:

Work-life balance is the most important aspect for healthy and productive living. Stress management proves to be an essential process that helps individuals cope with and reduce stress from the work and personal life. Effective methods of stress management, including mindfulness practices and time management strategies, physical activity, and seeking support from others, help individuals to create more balanced and fulfilling lifestyles. To stop stress from running down our health, we need to take good care of ourselves and work hard to make time for all those activities that help us calm down.

Further Scope of Study:

From this study, a way forward to further research and interventions to enhance workplace well-being would be readily apparent. The following could be the areas of study to foster deep understanding into the stress management and work-life balance of the employee:

1. Longitudinal Studies: Longitudinal studies would facilitate checking on the efficacy of the stress management techniques and work-life balance practices over more extended periods. In this regard, insights into sustainability aspects of those interventions would be obtained.

2. Comparative Analysis: Stress levels and work-life balance practices are compared to identify the challenges and opportunities for improvement among different demographics, industries, and structures of organizations.

3. Intervention Programs: Based on the needs of each organization and work environment, stress management programs and work-life balance initiatives are designed and implemented in order to create an environment where employees work in a happy and healthy context.

References:

Greenberg, J., et al. (2015). The benefits of managing workplace stress. *Journal of Occupational Health Psychology*, 20(3), 267-277.

Greenhaus, J. H., & Allen, T. D. (2011). Work-Family Balance: A Review and Extension of the Literature. *Handbook of Occupational Health Psychology*, 2, 165-183.

Kabat-Zinn, J. (1982). An outpatient program in behavioral medicine for chronic pain patients based on the practice of mindfulness meditation: Theoretical considerations and preliminary results. *General Hospital Psychiatry*, 4(1), 33-47.

Kabat-Zinn, J. (1990). *Full Catastrophe Living: Using the Wisdom of Your Body and Mind to Face Stress, Pain, and Illness*. Delta.

Lazarus, R. S., & Folkman, S. (1984). *Stress, Appraisal, and Coping*. Springer Publishing Company.

Lee, S. Y., & Young, S. J. (2019). The impact of physical activity on perceived stress and work-life balance among employees. *Journal of Occupational Health*, 61(6), 455-463.

Quick, J. C., & Quick, J. D. (1984). *Organizational Stress and Preventive Management*. McGraw-Hill.

Richardson, K. M., & Rothstein, H. R. (2008). Effects of occupational stress management intervention programs: A meta-analysis. *Journal of Occupational Health Psychology*, 13(1), 69-93.

Richardson, K. M., & Rothstein, H. R. (2008). Effects of occupational stress management intervention programs: A meta-analysis. *Journal of Occupational Health Psychology*, 13(1), 69-93.

Salmon, P. (2001) Effects of Physical Exercise on: A Unifying Theory. *Clinical Psychology Review*, 21, 33-61

Sarafino, E. P., & Smith, T. W. (2014). *Health psychology: Biopsychosocial interactions*. John Wiley & Sons.

Selye, H. (1976). *The Stress of Life*. McGraw-Hill Education.

Tuckman, B. W., & Jensen, M. A. C. (1977). Stages of small-group development revisited. *Group & Organization Management*, 2(4), 419-427.