

From Vision to Cognition: The Influence of Convergence Insufficiency on Cognitive Performance

Srimanti Sarkar¹

¹Department of Optometry, Swami Vivekananda University,
Telinipara, Barasat - Barrackpore Rd Bara Kanthalia, West
Bengal - 700121

Abstract

Background: Convergence insufficiency (CI) is a common binocular vision disorder characterized by difficulty in maintaining proper eye alignment for near tasks, leading to symptoms such as eye strain, headaches, and double vision. This narrative literature review aims to synthesize existing research on the impact of CI on cognitive performance, particularly focusing on academic achievement, attention, reading abilities, and overall cognitive load.

Discussion: The review reveals that CI significantly interferes with reading fluency and comprehension, which in turn affects academic performance. Studies indicate a higher prevalence of attention-related issues among individuals with CI, suggesting a link between visual and cognitive processing. Additionally, CI is associated with increased cognitive load, as individuals must exert extra effort to maintain visual clarity and focus, potentially detracting from cognitive resources available for other tasks. In various studies it shows that after successful convergence insufficiency treatment, academic performance improves with improvement in academic performance. At an extent in studies, it shows that academic performance is correlated with cognitive function.

Conclusion: The findings from the literature review underscore the importance of early diagnosis and intervention for CI to mitigate its adverse effects on cognitive functions. Future research should aim to further elucidate the relationship between convergence insufficiency and cognitive function.

and the mechanisms underlying the CI-cognition relationship and evaluate the efficacy of various treatment modalities in improving cognitive outcomes.

Keywords: Convergence insufficiency, Cognitive function, Academic performance, Cognitive impairment, Near point of convergence.

Introduction

Convergence Insufficiency (CI) is a prevalent binocular vision disorder characterized by the inability to maintain appropriate eye alignment during near-vision tasks. Unlike refractive errors or other ocular health issues, CI involves a dysfunction in the coordination of the eyes, resulting in symptoms such as double vision, headaches, eye strain, and difficulty concentrating on near tasks.^[1] These symptoms can significantly impact daily

activities, particularly those requiring sustained focus, such as reading or using digital devices.

[2,3,4]

Prevalence and Symptoms of Convergence Insufficiency

CI affects approximately 2-13% of the population, making it a significant public health concern.^[14] Despite its prevalence, CI is often underdiagnosed or misdiagnosed due to its symptoms overlapping with other conditions like attention deficit hyperactivity disorder (ADHD) and learning disabilities.^[13] Common symptoms include eye strain, headaches, blurred or double vision, and difficulty maintaining focus on near tasks.^[14,17] These symptoms can lead to discomfort and fatigue, particularly during prolonged periods of near work, and can significantly impact academic and professional performance.

[5]

The Growing Importance of Near Vision

The modern lifestyle has significantly increased the demands on our near vision. With the proliferation of digital devices such as smartphones, tablets, and computers, people spend more time engaging in activities that require close-up focus. This shift has intensified the potential impact of conditions

like CI on daily life. ^[3] Children, in particular, are affected as they spend substantial amounts of time reading and using digital devices for both educational and recreational purposes. Consequently, any impairment in near vision can have profound effects on their learning and overall development. ^[10]

Cognitive Function and Vision

Cognitive function encompasses a range of mental processes, including attention, memory, executive functions, and processing speed. Vision plays a critical role in cognitive function, as a substantial portion of the brain is dedicated to processing visual information. ^[11] Efficient visual processing is essential for tasks such as reading, writing, and navigating the environment, all of which require seamless coordination between visual input and cognitive responses. ^[5]

Linking CI to Cognitive Function

The relationship between CI and cognitive function is complex and multifaceted. Symptoms of CI, such as difficulty focusing, eye strain, and headaches, can interfere with tasks that require sustained attention and concentration. ^[14] Reading, a visually demanding activity, can be particularly challenging for individuals with CI. The additional effort required to maintain single and clear vision can lead to slower reading speeds, reduced comprehension, and greater fatigue, ultimately affecting academic performance and productivity. ^[15]

Visual discomfort associated with CI can also act as a continuous source of distraction, disrupting cognitive processes such as working memory and executive functioning. Working memory, the ability to hold and manipulate information over short periods, is crucial for tasks such as problem-solving and learning. The visual discomfort caused by CI can consume cognitive resources that would otherwise be available for these tasks, leading to decreased cognitive efficiency. ^[14]

Importance of Early Identification and Treatment

Given the potential impact of CI on cognitive function and daily activities, early identification and treatment are crucial.

Effective management of CI can alleviate symptoms, improve visual efficiency, and enhance overall cognitive function. Treatment options such as vision therapy, prism glasses, and home-based exercises have shown promise in reducing symptoms and improving quality of life for individuals with CI. ^[16,17]

Aims of This Manuscript

This manuscript aims to explore the intricate relationship between CI and cognitive function by reviewing current literature, presenting findings from recent studies. By understanding how CI affects cognitive processes and identifying effective interventions through a variety of articles.

Methodology

A comprehensive search for material published between 2000 and 2024 was conducted using the terms 'NSBVD,' 'Convergence Insufficiency,' 'Cognitive function,' 'Academic performance,' and 'ADHD' on PubMed, Scopus, and Google Scholar. Relevant articles were identified, reviewed, and analyzed to provide a thorough understanding of the current state of knowledge on this topic.

Discussion

Summary of Findings

This study explores the intricate relationship between Convergence Insufficiency (CI) and cognitive function, highlighting the multifaceted ways in which CI can impact daily activities and overall quality of life. Our findings corroborate previous research, indicating that CI significantly interferes with tasks requiring sustained visual attention and near work, such as reading and using digital devices. The symptoms associated with CI, including eye strain, headaches, blurred or double vision, and difficulty maintaining focus, impose a considerable cognitive load that can detract from cognitive efficiency and productivity. ^[14,17,22]

The Pathophysiological Mechanisms of CI

The pathophysiological mechanisms underlying CI are complex and involve both neuromuscular and sensory components. CI is primarily characterized by an inability of the eyes to maintain appropriate alignment when focusing on near objects, which results from a dysfunction in the neuromuscular control of eye movements. This dysfunction may stem from weaknesses in the medial rectus muscles or anomalies in the neural pathways coordinating eye movements, particularly those involving the brainstem, cerebellum, and cerebral cortex. ^[7,14,1]

The sensory aspect of CI, which involves the brain's ability to fuse the visual inputs from both eyes into a single coherent image, is also crucial. Poor fusional vergence can lead to double vision and visual discomfort, exacerbating the cognitive challenges faced by individuals with CI. ^[7] Furthermore, the frequent co-occurrence of accommodative dysfunction with CI complicates the clinical picture, as the effort required to maintain clear vision during near tasks can further strain cognitive resources.

Impact on Cognitive Function

The relationship between CI and cognitive function is particularly noteworthy. Our findings indicate that the increased cognitive load required to compensate for CI symptoms significantly impacts cognitive efficiency. Tasks that demand high levels of visual attention, such as reading, are especially affected. The additional effort needed to maintain clear and single vision can slow reading speeds, reduce comprehension, and increase fatigue, ultimately impacting academic and professional performance. ^[14,17]

Visual discomfort and cognitive distraction are additional factors that can impair cognitive function in individuals with CI. The continuous strain and headaches associated with CI can act as a persistent source of distraction, disrupting cognitive processes and making it difficult to maintain focus and concentration over extended periods. This is particularly problematic in environments that require sustained attention, such as classrooms and workplaces. ^[14]

The impact of CI on specific cognitive processes, such as working memory and executive functions, is also significant. Working memory, essential for holding and manipulating information over short periods, is particularly vulnerable to the effects of CI. The cognitive resources diverted to manage visual discomfort and maintain convergence can leave fewer resources available for working memory tasks, impairing performance in academic and professional settings. Similarly, executive functions, which include higher-order processes like planning, decision-making, and problem-solving, can be compromised by the continuous effort to maintain proper eye alignment and the associated visual discomfort. ^[2,14,21]

Clinical Implications

Given the substantial impact of CI on cognitive function and daily activities, early identification and treatment are crucial. Vision therapy, which includes a range of exercises designed to improve the coordination and efficiency of eye movements, has shown promise in alleviating the symptoms of CI and enhancing overall visual and cognitive function (Scheiman et al., 2005). Additionally, prism glasses, which can help to correct alignment issues and reduce the strain on the eye muscles, offer another effective treatment option.

Implementing regular screenings for CI in school-aged children and adults who report symptoms of visual discomfort or cognitive difficulties during near work can facilitate early diagnosis and intervention. Such screenings can help to identify individuals who may benefit from vision therapy or other treatments, thereby improving their academic performance and quality of life.

Future Research Directions

Future research should continue to explore the relationship between CI and cognitive function, particularly focusing on longitudinal studies that track the cognitive and visual outcomes of individuals with CI over time. Investigating the effectiveness of different treatment modalities in diverse populations can also provide valuable insights into best practices for managing CI. Additionally, studies that examine the underlying neural mechanisms of CI and its impact on

cognitive processes can contribute to a deeper understanding of this condition and inform the development of more targeted interventions.

Conclusion

Convergence Insufficiency is a significant visual disorder that can profoundly impact cognitive function. By increasing cognitive load, causing visual discomfort, and reducing the quality of visual input, CI can hinder attention, memory, reading comprehension, and overall cognitive performance. Effective treatment, including vision therapy and prism glasses, can alleviate these symptoms and enhance cognitive function. Awareness and early intervention are crucial in mitigating the impact of CI on education and work, ultimately improving the quality of life for affected individuals. Future research should continue to explore the complex relationship between CI and cognitive function, paving the way for more effective treatments and interventions.

References

- Scheiman, M., & Wick, B. (2013). Clinical Management of Binocular Vision: Heterophoric, Accommodative, and Eye Movement Disorders.
- Conlon EG, Lovegrove J, Chepauk E, Pattison PE. Measuring visual discomfort. *Vis Cogn* 1999;6:637-63.
- Han CC, Liu R, Liu RR, Zhu ZH, Yu RB, Ma L. Prevalence of asthenopia and its risk factors in Chinese college students. *Int J Ophthalmol* 2013;6:718-22.
- Tosha C, Borsting E, Ridder WH 3rd, Chase C. Accommodation response and visual discomfort. *Ophthalmic Physiol Opt* 2009;29:625-33.
- Letourneau JE, Lapierre N, Lamont A. The relationship between convergence insufficiency and school achievement. *Optometry and Vision Science*. 1979;56(1):18- 22.
- Borsting E, Rouse MW, Mitchell GL, et al. Validity and reliability of the revised convergence insufficiency symptom survey in adults. *Ophthalmic and Physiological Optics*. 2003;23(5):384-387.

CooperJS,BurnsCR,CotterSA,DaumKM,GriffinJR,ScheimanMM. Optometricclinicalp ractice guidelines: care of the patient with accommodative and vergence dysfunctions. St Louis: American Optometric Association; 2010. pp. 4-23. <https://www.aoa.org/documents/optometrists/CPG-18.pdf>

Scheiman MM, Alvarez TL, Cotter SA, Kulp MT, Sinnott LT, Plaumann MD, Jhaji J; Convergence Insufficiency Treatment Trial Investigator Group. Negative Fusional Vergence Is Abnormal in Children with Symptomatic Convergence Insufficiency. *Optom Vis Sci.* 2021 Jan 1;98(1):32-40. doi: 10.1097/OPX.0000000000001626. PMID: 33394929; PMCID: PMC7789288.

Hayes JR, Sheedy JE, Stelmack JA, et al. Computer use, symptoms, and quality of life. *Optometry and Vision Science.* 2007;84(8):738-744.

Dusek W, Pierscioneck BK, McClelland JF. An evaluation of clinical treatment of convergence insufficiency for children with reading difficulties. *BMC Ophthalmology.* 2011;11:21.

Kandel ER, Schwartz JH, Jessell TM. *Principles of Neural Science.* 5th ed. McGraw- Hill; 2013.

Clark TY, Clark RA. Convergence Insufficiency Symptom Survey Scores for Reading Versus Other Near Visual Activities in School-Age Children. *Am J Ophthalmol.* 2015 Nov;160(5):905-912.e2. doi: 10.1016/j.ajo.2015.08.008. Epub 2015 Aug 12. PMID: 26275474.

Granet DB, Gomi CF, Ventura R, et al. The relationship between convergence insufficiency and ADHD. *Strabismus.* 2005;13(4):163-168.

Rouse MW, Borsting E, Mitchell GL, et al. Academic behaviors in children with convergence insufficiency with and without parent-reported ADHD. *Optometry and Vision Science.* 2009;86(10):1169-1177.

Conlon EG, Lovegrove WJ, Chekaluk E, et al. Measuring the effect of visual discomfort on reading performance. *Behavioral and Brain Functions.* 2012;8(33).

Scheiman M, Mitchell GL, Cotter S, et al. A randomized clinical trial of treatments for convergence insufficiency in children. *Archives of Ophthalmology.* 2005;123(1):14-24.

Borsting E, Mitchell GL, Kulp MT, et al. Improvement in Academic Behaviors after Successful Treatment of Convergence Insufficiency. *Optometry and Vision Science*. 2016;93(1):1-10.

Wick BC. Horizontal deviations. In: Amos JF, ed. *Diagnosis and management in vision care*. Boston: Butterworth-Heinemann; 1987. pp. 461–510.

Dalziel CC. Effect of vision training on patients who fail Sheard's criterion. *Am J Optom Physiol Opt*. 1981 Jan;58(1):21-3. doi: 10.1097/00006324-198101000-00006. PMID: 7212013.

Shi Y, Qu S. Cognition and Academic Performance: Mediating Role of Personality Characteristics and Psychology Health. *Front Psychol*. 2021 Dec 7;12:774548. doi: 10.3389/fpsyg.2021.774548. PMID: 34950090; PMCID: PMC8688741.

Biswas V, Masihuzzaman M, Jha RK, Majumder R. Is there a relationship between somatic sensations, impaired vision, and cognitive performance using the factor structure of the convergence insufficiency symptoms survey questionnaire? *Oman J Ophthalmol*. 2024 Feb 21;17(1):32-36. doi: 10.4103/ojo.ojo_67_22. PMID: 38524337; PMCID: PMC10957034.

Scheiman M, Mitchell GL, Cotter S, Cooper J, Kulp M, Rouse M, Borsting E, London R, Wensveen J; Convergence Insufficiency Treatment Trial Study Group. A randomized clinical trial of treatments for convergence insufficiency in children. *Arch Ophthalmol*. 2005 Jan;123(1):14-24. doi: 10.1001/archophth.123.1.14. PMID: 15642806.