

Detection of Heavy Metals in Soil Using Sensors: A Review

Animesh Ghosh Bag^a, Nitin Chatterjee^b

a. Department of Agriculture, School of Agriculture, Swami Vivekananda University, Barrackpore, West Bengal, 700121

b. Department of Agricultural Chemistry and soil science
BCKV, Mohanpur

Corresponding author: ghoshbaganimesh610@gmail.com

Abstract:

Heavy metal contamination in soil poses significant risks to environmental health, agriculture, and human well-being. Traditional laboratory methods for detecting heavy metals are accurate but often time-consuming, expensive, and require specialized equipment. In recent years, sensor-based technologies have emerged as efficient alternatives for rapid, on-site detection and monitoring of heavy metal concentrations in soil. This review provides a comprehensive analysis of advancements in sensor technologies for detecting heavy metals in soil, focusing on their principles, performance, and practical applications. We examine various types of sensors, including electrochemical, optical, biosensors, and nanosensors, highlighting their sensitivity, specificity, and ability to detect multiple heavy metals simultaneously. Challenges such as interference from complex soil matrices, calibration, and long-term stability are discussed, along with potential solutions. The paper also explores emerging trends, such as the integration of sensors with the Internet of Things (IoT) and machine learning algorithms for real-time monitoring and data analysis. Case studies demonstrating the successful application of sensor technologies in detecting heavy metals like lead (Pb), cadmium (Cd), mercury (Hg), and arsenic (As) are presented. Finally, the review identifies research gaps and outlines future directions for the development of cost-

effective, portable, and user-friendly sensors for soil health monitoring. Sensor-based detection systems represent a promising approach to addressing the global challenge of soil contamination and ensuring sustainable agricultural practices.

Key Words: *Heavy Metal Contamination, Sensor Technologies, Soil Monitoring, Internet of Things (IoT), Sustainable Agriculture*

1. Introduction

Heavy metal contamination in soil has become a pressing global environmental issue, primarily due to its profound and far-reaching impacts on soil quality, agricultural productivity, ecosystem balance, and human health. Heavy metals such as lead (Pb), cadmium (Cd), mercury (Hg), and arsenic (As) are of particular concern owing to their high toxicity, non-biodegradable nature, and strong tendency to accumulate in soil and living organisms over time. Once introduced into the soil, either through industrial activities, mining operations, excessive use of chemical fertilizers and pesticides, or improper waste disposal, these toxic elements persist for extended periods and gradually enter the food chain, ultimately threatening food safety and public health (Alloway, 2013). Prolonged exposure to heavy metals through contaminated soil can lead to reduced soil fertility, impaired microbial activity, and disruption of essential soil functions, ultimately diminishing crop yields and compromising the sustainability of agricultural systems. Furthermore, the bioaccumulation of heavy metals in edible plants poses severe health risks to humans and animals, including neurological damage, organ dysfunction, and increased risk of cancer.

To monitor and assess heavy metal contamination in soil, conventional laboratory-based analytical techniques such as atomic absorption spectroscopy (AAS), inductively coupled plasma mass spectrometry (ICP-MS), and X-ray fluorescence (XRF) have been widely employed. These methods are known for their high precision, sensitivity, and reliability in detecting trace concentrations of heavy metals. However, they require sophisticated instrumentation, trained personnel, and controlled laboratory environments. Additionally, these

techniques are often costly, time-consuming, and impractical for large-scale, real-time, or on-site soil monitoring, particularly in remote areas or resource-limited settings (Zhou et al., 2022).

In light of these limitations, the development of sensor-based technologies for heavy metal detection in soil has attracted significant research attention in recent years. These technologies offer rapid, cost-effective, and portable alternatives for in-situ monitoring, enabling timely detection of soil contamination without the need for complex sample preparation or laboratory infrastructure. Sensor systems, including electrochemical, optical, biosensors, and nanosensors, are capable of providing real-time data with reasonable sensitivity and specificity, making them suitable for both agricultural and environmental monitoring applications. This review aims to provide a comprehensive overview of recent advancements in sensor technologies for detecting heavy metals in soil, discussing their underlying principles, operational performance, advantages, limitations, and potential applications. Furthermore, the paper highlights the current challenges and future research directions needed to advance the practical deployment of sensor-based detection systems as reliable tools for soil health assessment and environmental protection.

2. Sensor Technologies for Heavy Metal Detection in Soil

The development of sensor technologies for detecting heavy metals in soil represents a significant advancement in environmental monitoring, providing rapid, cost-effective, and in-situ detection capabilities. Several types of sensors have been explored, each with unique operational principles, strengths, and limitations. Among these, electrochemical, optical, biosensors, and nanosensors have shown considerable promise for soil applications.

(i) Electrochemical Sensors

Electrochemical sensors are among the most widely researched and applied tools for the detection of heavy metals in soil due to their inherent advantages of high sensitivity, portability, and the ability to provide real-time,

quantitative measurements. These sensors function based on the electrochemical interactions between heavy metal ions present in soil samples and the surface of a working electrode. When heavy metals such as lead (Pb), cadmium (Cd), or mercury (Hg) interact with the electrode, they induce detectable changes in electrical properties, including current, voltage, or impedance (Gupta et al., 2020). Anodic stripping voltammetry (ASV) is one of the most popular techniques within this category, known for its exceptional sensitivity and low detection limits for trace levels of heavy metals. ASV operates by pre-concentrating metal ions onto the electrode surface through electro-deposition, followed by their subsequent stripping, which generates a characteristic electrical signal proportional to the metal concentration. Potentiometric sensors, which measure potential changes, and impedimetric sensors, which monitor changes in electrical impedance, are also widely used for heavy metal detection. The continuous advancements in miniaturization and microfabrication have enabled the development of compact, portable electrochemical sensors, making them highly suitable for on-site soil monitoring, especially in agricultural fields, contaminated sites, and mining areas.

(ii) Optical Sensors

Optical sensors are another prominent category for heavy metal detection, utilizing the interaction between light and matter to identify and quantify contaminants. These sensors operate based on detecting changes in optical properties such as absorbance, fluorescence, luminescence, or reflectance when heavy metals are present in the soil. Common types of optical sensors include colorimetric sensors, where color changes in a reagent indicate the presence of specific heavy metals; fluorescence-based sensors, which exploit the quenching or enhancement of fluorescence signals upon metal ion binding; and surface plasmon resonance (SPR) sensors, which detect changes in refractive index at the sensor surface. One of the significant advantages of optical sensors is their high specificity, enabling the selective detection of individual heavy metals even in the presence of other contaminants. Additionally, they offer rapid response times

and, in many cases, allow for visual or spectrophotometric detection, making them accessible for both laboratory and field use. Recent advancements in nanotechnology have led to the development of nanomaterial-based optical sensors, which incorporate nanoparticles, quantum dots, or other nanostructures to enhance sensitivity, selectivity, and the ability to detect multiple heavy metals simultaneously (Zhang et al., 2021). These innovations have significantly improved detection limits, making optical sensors viable for detecting trace heavy metal concentrations in complex soil environments.

(iii) Biosensors

Biosensors represent an emerging class of detection devices that utilize biological recognition elements to detect the presence of heavy metals with high selectivity and sensitivity. The core principle of biosensors lies in the specific interaction between a biological component such as enzymes, antibodies, nucleic acids, or even whole microbial cells and the target heavy metal ions in the soil. This interaction produces a measurable physicochemical signal, which may be electrical, optical, or thermal in nature (Kumar et al., 2022). Biosensors are particularly valued for their environmental friendliness and their ability to offer highly selective detection, even amidst complex soil matrices. Enzyme-based biosensors, for instance, can be designed to catalyze reactions that produce a detectable signal upon exposure to specific heavy metals. Similarly, microbial biosensors employ living microorganisms whose metabolic responses indicate the presence of toxic metals. The potential for on-site and real-time monitoring makes biosensors highly attractive for agricultural and environmental applications. However, practical challenges remain regarding their operational stability, sensitivity, and reproducibility, especially when deployed under diverse and variable soil conditions. Ongoing research is focused on enhancing the robustness of biosensors and improving their performance for long-term field applications.

(iv) Nanosensors

Nanosensors leverage the remarkable physicochemical

properties of nanomaterials to achieve ultra-sensitive and highly selective detection of heavy metals in soil. The integration of nanoparticles, carbon nanotubes, graphene, and other nanoscale materials into sensor platforms has opened new possibilities for environmental monitoring. Due to their high surface area-to-volume ratio, enhanced catalytic activity, and unique optical and electrical properties, nanomaterials enable nanosensors to achieve extremely low detection limits—often at parts-per-billion (ppb) levels or lower—for heavy metals such as arsenic (As), lead (Pb), and cadmium (Cd) (Ravikumar et al., 2023).

Nanosensors can operate through various mechanisms, including electrochemical, optical, or biosensing principles, with nanomaterials serving as the transducing or recognition elements. For example, gold nanoparticles are widely used in colorimetric sensors for their distinct optical properties, while carbon nanotubes and graphene enhance the conductivity and sensitivity of electrochemical sensors.

The miniaturization, portability, and high performance of nanosensors make them highly suited for rapid, on-site soil assessments. Furthermore, the integration of nanosensors with wireless communication technologies and smart devices is facilitating the development of advanced sensor networks for real-time soil health monitoring.

3. Challenges and Limitations

Despite remarkable progress in sensor technologies for the detection of heavy metals in soil, several technical, environmental, and socioeconomic factors continue to limit their widespread, practical deployment. These challenges must be critically addressed to enhance the reliability, usability, and affordability of sensor-based systems for routine soil monitoring.

(i) Interference from Soil Matrices: One of the most significant challenges faced by sensor technologies is the complex and heterogeneous nature of soil itself. Soils vary widely in texture, organic matter content, moisture levels, and mineral composition, all of which can interfere with sensor performance. For instance, organic matter and

dissolved ions present in soil may interact with sensor components, leading to false signals or reduced sensitivity. Additionally, soil heterogeneity can create spatial variability in contaminant distribution, making it difficult to obtain accurate and representative measurements. Overcoming matrix interference requires the development of sensors with enhanced selectivity, robust signal processing, and efficient sample preparation protocols.

(ii) Calibration and Standardization: Accurate and reliable sensor performance depends heavily on regular calibration. Environmental conditions such as temperature, humidity, and soil composition can affect sensor responses, necessitating frequent recalibration to ensure consistent results. However, the absence of universally accepted, standardized calibration procedures poses a significant barrier to the broader adoption of sensor technologies. Without standardization, comparing results across different sensor platforms, studies, or geographic regions becomes challenging. Establishing global or regional calibration protocols and quality control standards is essential to enhance the reliability and interoperability of sensor data.

(iii) Long-Term Stability and Durability: The long-term stability and operational durability of sensors remain critical concerns, especially for field applications in harsh environments. Exposure to moisture, dust, temperature fluctuations, and mechanical stress can degrade sensor components over time, leading to signal drift, reduced sensitivity, or complete sensor failure. This is particularly problematic for biosensors and nanosensors, which often rely on delicate biological or nanomaterial components. To address these limitations, research efforts must focus on developing robust, weather-resistant sensor designs with protective coatings, self-cleaning mechanisms, and longer operational lifespans.

(iv) Cost and Accessibility: While sensor technologies are becoming increasingly compact and portable, high-end, high-performance sensor systems often remain prohibitively expensive for smallholder farmers, local environmental agencies, and resource-limited regions. The cost of advanced

materials, specialized components, and maintenance further restricts accessibility. Moreover, the lack of technical expertise in rural areas hampers the effective use and interpretation of sensor data. Reducing production costs, simplifying operation, and providing affordable, user-friendly sensor options are essential for promoting equitable access to soil monitoring technologies. In summary, while sensor-based approaches hold great promise for transforming soil contamination monitoring, addressing these technical, environmental, and socioeconomic challenges is critical for ensuring their reliable, scalable, and cost-effective implementation in real-world settings.

4. Emerging Trends and Future Prospects

The way we monitor heavy metals in soil is undergoing a remarkable transformation, driven by rapid advancements in sensor technologies, the Internet of Things (IoT), and machine learning (ML). These technologies are no longer confined to laboratories or specialized research environments—they are increasingly becoming accessible tools that can make a real difference in how we protect soil health.

The integration of sensors with IoT networks is a game-changer for environmental monitoring. These smart sensor networks enable real-time, continuous collection of soil data across large areas, providing a level of insight and responsiveness that was unimaginable just a few years ago (Li et al., 2023). Instead of relying on time-consuming, manual sampling and laboratory analysis, farmers, researchers, and environmental agencies can now access up-to-date information about soil quality at the touch of a button.

Machine learning adds another layer of sophistication to this process. By applying advanced algorithms, ML helps make sense of the vast amounts of data generated by these sensors. It can detect patterns, identify potential contamination hotspots, and even predict future trends, significantly enhancing the accuracy and reliability of heavy metal detection systems.

Equally promising is the ongoing development of portable, affordable, and easy-to-use sensor devices designed for non-experts. These innovations are making it possible for farmers,

landowners, and community groups to play an active role in soil monitoring without needing specialized training. Recent real-world examples have shown how these sensor-based technologies can effectively detect hazardous metals such as lead (Pb), cadmium (Cd), mercury (Hg), and arsenic (As) in contaminated soils.

Together, these advancements are not just technical milestones they represent practical, scalable solutions for addressing soil contamination. As these tools become more accessible and refined, they hold immense potential to support sustainable agriculture, safeguard public health, and inform evidence-based environmental policies for years to come.

5. Conclusion

Sensor-based technologies are emerging as a powerful and practical alternative to conventional laboratory methods for detecting heavy metals in soil. Unlike traditional approaches, which are often time-consuming, expensive, and require specialized equipment and expertise, modern sensors offer a faster, more portable, and cost-effective solution for on-site soil monitoring. Technological advancements in electrochemical, optical, biosensors, and nanosensors have significantly improved the sensitivity and reliability of detecting hazardous metals directly in the field. These tools empower farmers, researchers, and environmental agencies to assess soil quality quickly, enabling more informed and timely decision-making. However, despite their potential, some technical hurdles remain. Issues such as accurate sensor calibration, potential interference from complex soil compositions, and ensuring long-term stability and durability of sensors continue to limit their widespread adoption.

The integration of these sensor systems with Internet of Things (IoT) platforms and advanced data analytics—particularly machine learning—holds immense promise for the future. Together, they can create intelligent, automated monitoring networks capable of providing real-time, large-scale soil contamination data. Such systems not only improve detection accuracy but also support predictive modeling, helping to anticipate and mitigate contamination risks

before they escalate. Looking ahead, there is a clear need for continued research and innovation focused on developing affordable, robust, and user-friendly sensor technologies that can perform reliably across diverse soil environments. By overcoming existing challenges, these tools have the potential to transform how we monitor and manage soil health, contributing to safer food production, sustainable agriculture, and a cleaner, healthier environment.

References

Alloway, B. J. (2013). *Heavy metals in soils: Trace metals and metalloids in soils and their bioavailability* (3rd ed.). Springer.

Gupta, D., Yadav, P., & Verma, N. (2020). Electrochemical sensors for heavy metal detection in soil: A review. *Sensors and Actuators B: Chemical*, 320, 128403. <https://doi.org/10.1016/j.snb.2020.128403>.

Kumar, R., Singh, S., & Sharma, R. (2022). Biosensors for environmental monitoring: Detection of heavy metals in soil and water. *Biosensors*, 12(1), 65. <https://doi.org/10.3390/bios12010065>.

Li, X., Wang, Y., & Zhang, H. (2023). Smart sensors for soil monitoring: Integration with IoT and machine learning. *Environmental Monitoring and Assessment*, 195, 456. <https://doi.org/10.1007/s10661-023-11256-5>.

Ravikumar, P., Anandan, S., & Singh, P. (2023). Nanosensors for heavy metal detection in agricultural soils: Current status and future perspectives. *Environmental Nanotechnology, Monitoring & Management*, 20, 100721. <https://doi.org/10.1016/j.enmm.2023.100721>.

Zhang, Y., Zhao, C., & Liu, X. (2021). Optical sensors for heavy metal detection: Recent advances and future prospects. *TrAC Trends in Analytical Chemistry*, 141, 116284. <https://doi.org/10.1016/j.trac.2021.116284>.

Zhou, J., Li, W., & Chen, D. (2022). Analytical techniques for heavy metal detection in soils: A critical review. *Environmental Pollution*, 297, 118750. <https://doi.org/10.1016/j.envpol.2021.118750>.