

The Hidden Crisis: Unveiling the Harmful Effects of Soil Pollution

Sachinandan Bhandari¹, Sudip Sengupta^{1*}

¹Department of Agriculture, Swami Vivekananda University,
Barrackpore 700121, Kolkata, West Bengal, India

*Corresponding author: sudips@svu.ac.in

Abstract

Soil pollution is an insidious environmental issue that poses significant risks to human health, ecosystems, and food security. Contaminants such as heavy metals, pesticides, and industrial waste infiltrate the soil, disrupting its natural balance and leading to a cascade of harmful effects. Polluted soil can diminish agricultural productivity, as toxic substances hinder plant growth and reduce crop yields. Moreover, the contamination can enter the food chain, posing serious health risks to humans and animals alike. The degradation of soil quality also threatens biodiversity, as microorganisms essential for nutrient cycling are adversely affected. As urbanization and industrial activities continue to expand, the urgency to address soil pollution becomes increasingly critical. This article explores the various dimensions of soil pollution, its detrimental impacts on health and the environment, and highlights the need for sustainable practices and effective policy interventions to combat this growing crisis.

Keywords

Soil Pollution, Environmental Health, Agricultural Productivity, Food Security

1. Introduction

Soil, often termed the “livingskin of the Earth,” is a fundamental component of terrestrial ecosystems. It performs multiple vital functions such as supporting plant growth, regulating water cycles, sequestering carbon, filtering contaminants, and

sustaining biodiversity. Despite its indispensable ecological and economic significance, soil has long been the silent victim of anthropogenic activities, suffering progressive degradation and contamination globally. Among various forms of soil degradation, **soil pollution** has emerged as one of the most critical yet underrecognized environmental crises of the 21st century (FAO, 2021).

Soil pollution is defined as the presence of toxic substances in the soil that degrade its quality and hinder its natural functions. These contaminants may originate from industrial discharges, agricultural practices, improper waste disposal, mining operations, and urban sprawl (Nagajyoti et al., 2010; Khan et al., 2013). Unlike air or water pollution, which can often be identified more readily through visual or sensory indicators, soil pollution typically remains undetected until its impacts become severe—affecting crop health, food quality, groundwater safety, and human well-being.

The Unseen Nature of Soil Contamination

The crisis of soil pollution is often obscured due to its subterranean nature and the time-lag between contamination and its manifestation in ecosystems or human health. Pollutants tend to persist in soils for decades, undergoing limited natural degradation. In many instances, contaminants such as **heavy metals (e.g., lead, cadmium, arsenic)** and **persistent organic pollutants (POPs)** remain bioavailable and toxic for prolonged periods, entering the food chain through plant uptake or leaching into water systems (Alloway, 2013; Wuna&Okieimen, 2011). The slow and insidious accumulation of these pollutants often results in chronic exposure, leading to significant ecological and health burdens.

Soil Pollution: A Global Issue with Local Manifestations

Soil pollution is not confined to specific geographies; rather, it is a **globally pervasive issue** affecting both developed and developing nations. However, the nature, scale, and consequences of contamination differ considerably based on socio-economic, regulatory, and land-use dynamics. In high-income countries, pollution often stems from industrial

legacy sites, hazardous waste dumps, and pesticide overuse. In contrast, low- and middle-income countries frequently grapple with unregulated industrial growth, poor waste management, and excessive use of agrochemicals (FAO & UNEP, 2021; Li et al., 2019).

India, for example, has witnessed a sharp increase in soil contamination due to rapid urbanization, heavy metal discharges, excessive pesticide use, and improper disposal of solid waste and sewage sludge (Tiwary et al., 2021). Studies have reported elevated concentrations of arsenic, cadmium, and lead in several regions, particularly in the Indo-Gangetic plains, threatening food security and public health (Srivastava et al., 2020).

Implications for Agriculture and Food Security

Healthy soils are the bedrock of sustainable agriculture. They provide essential nutrients to crops, retain water, and serve as a medium for beneficial microbial activity. When polluted, these vital functions are compromised. Toxic elements like cadmium, arsenic, and lead interfere with nutrient uptake, stunt plant growth, reduce crop yields, and degrade food quality (Zhao et al., 2015). For instance, cadmium accumulation in rice—a staple food crop—has been widely reported across Asia, raising alarms over chronic dietary exposure among populations (Cao et al., 2018).

Moreover, the interlinkages between **soil contamination and food security** are becoming increasingly evident. Contaminated soils reduce agricultural productivity, increase production costs, and undermine the nutritional quality of food. Consequently, soil pollution not only threatens individual livelihoods but also has wider socio-economic implications, especially in agrarian economies where agriculture is a primary source of income and sustenance.

Health and Ecosystem Risks

Soil contaminants pose significant threats to **human and animal health**. Exposure may occur through ingestion of polluted food or water, dermal contact with contaminated soils, or inhalation of dust particles. Chronic exposure

to heavy metals like lead, mercury, and arsenic has been associated with neurodevelopmental disorders, kidney damage, cardiovascular problems, and carcinogenic effects (Jaishankar et al., 2014). In children, even low levels of lead exposure can impair cognitive development and lower IQ levels.

In ecosystems, soil pollution disrupts microbial communities, hampers nutrient cycling, and affects soil fauna. Beneficial organisms such as earthworms, mycorrhizal fungi, and nitrogen-fixing bacteria are highly sensitive to contaminants. Their decline can set off a **chain reaction of ecological dysfunction**, reducing soil fertility and exacerbating environmental degradation (Cheng et al., 2019).

Soil Pollution in the Context of Climate Change

Soil pollution and **climate change** are interlinked stressors. Contaminated soils lose their capacity to sequester carbon effectively, thereby contributing to increased atmospheric CO₂ levels (FAO, 2017). In addition, changes in temperature and precipitation patterns can influence the mobility and bioavailability of pollutants, amplifying their environmental impacts. Conversely, some climate-smart agricultural practices such as organic amendments and biochar application have shown promise in reducing soil contaminant mobility and enhancing resilience (Lehmann et al., 2011).

Policy, Monitoring, and Remediation Challenges

Despite growing evidence of the deleterious effects of soil pollution, there remains a lack of **comprehensive monitoring frameworks and stringent policy interventions** in many parts of the world. Unlike air and water quality, soil quality is not consistently monitored, and remediation efforts are often expensive, technologically demanding, and site-specific (Rodrigues et al., 2021). Moreover, the lack of awareness and technical capacity, especially in low-income regions, impedes mitigation and restoration efforts.

Several international organizations, including the Food and Agriculture Organization (FAO), United Nations Environment Programme (UNEP), and the Intergovernmental Technical Panel on Soils (ITPS), have recognized the need for

urgent action. The **Global Soil Partnership** and the **Global Symposium on Soil Pollution (GSOP18)** have emphasized integrated soil pollution management, data collection, capacity building, and public engagement as key pillars to address the crisis (FAO, 2019).

2. Understanding Soil Pollution: Concepts and Classifications

Defining Soil Pollution

Soil pollution refers to the presence of chemical substances (inorganic and organic) or other agents in soil at concentrations harmful to ecosystem and human health (Alloway, 2013). Both natural (e.g., geogenic) and anthropogenic inputs contribute, but the latter—driven by industrialization, intensive agriculture, and improper waste disposal—is most concerning (Nagajyoti et al., 2010).

Classification by Contaminant Type

- **Inorganic contaminants:** heavy metals (e.g., lead, cadmium, arsenic), metalloids, salts — persistent, non-biodegradable substances with high retention potential (Wuana&Okieimen, 2011).
- **Organic contaminants:** pesticides/herbicides, petroleum hydrocarbons, solvents, polycyclic aromatic hydrocarbons (PAHs), persistent organic pollutants (POPs) — variable persistence; some undergo microbial degradation while others accumulate (Nagajyoti et al., 2010; Khan et al., 2013).

Classification by Source

Classification by Persistence and Mobility

Contaminants are categorized based on soil residence time and movement:

- **Persistent and immobile** (e.g., lead, mercury)
- **Persistent and mobile** (e.g., arsenic in groundwater)
- **Non-persistent but leachable** (e.g., nitrates, certain pesticides)

- **Volatile organics** which migrate through soil air-gap to groundwater or air (FAO & UNEP, 2021).

Classification by Hazard Potential

- **Human toxicants:** carcinogens, neurotoxins (e.g., benzene, cadmium, asbestos).
- **Ecotoxicants:** harm to plants, microbes, fauna (e.g., chlorinated solvents, PAHs).
- **Secondary pollutants:** by-products of contaminant transformation (e.g., methylmercury).

Soil Quality vs. Soil Health

- **Soil quality** focuses on chemical aspects—contaminant thresholds, pH, etc.
- **Soil health** integrates biological and physical functions; indicators include microbial biomass, organic matter, porosity (Cheng et al., 2019).

3. Sources of Soil Pollution

Industrial Activities

- **Metal smelters:** release arsenic, lead, cadmium; chronic contamination near sites (Alloway, 2013).
- **Tanneries:** chromium pollution in soils and water bodies (Khan et al., 2013).
- **Battery and e-waste recycling:** lead, mercury, brominated flame retardants; artisanal e-waste sites are hotspots (Li et al., 2019).

Agricultural Inputs

- **Pesticides:** organochlorines (e.g., DDT) persist decades; endocrine disruptors (Nagajyoti et al., 2010).
- **Fertilizers:** overuse leads to nitrate leaching, eutrophication; phosphate-based fertilizers introduce cadmium and uranium trace contaminants (Zhao et al., 2015).

- **Animal manure and biosolids:** concentrate copper, zinc, antibiotics, and antibiotic-resistance genes (Li et al., 2019).

Urbanization and Waste Disposal

- **Landfills:** leach heavy metals, persistent organic molecules into soil (Rodrigues et al., 2021).
- **Sewage sludge:** contains pharmaceuticals, pathogens, trace metals; application on farmland transfers pollutants (FAO & UNEP, 2021).
- **Construction demolition:** asbestos, leaded paint chips, and silica dust (Cheng et al., 2019).

Mining and Oil Spillage

- **Mining:** tailings and acid mine drainage release low pH water with high metal concentrations, acidifying adjacent soils (Alloway, 2013).
- **Oil spills:** hydrocarbon mixtures degrade slowly; impact soil structure and microbial ecology (Rodrigues et al., 2021).

E-Waste and Emerging Pollutants

- Leaching of heavy metals (lead, cadmium), flame retardants (PBDEs), and rare earth elements from landfills and informal recycling (Li et al., 2019).
- **Microplastics** from sludge, landfills, and wastewater biosolids: long-term soil contaminants affecting moisture and microbial function (Nagajyoti et al., 2010).

4. Types of Soil Contaminants

Heavy Metals

- Detailed toxicity of lead, cadmium, arsenic, mercury.
- Speciation and plant uptake; chemical forms influencing bioavailability.
- Case: arsenic in Bangladesh through irrigation with contaminated groundwater affecting skin and cancer incidences.

Organic Pollutants

- **Pesticides:** organochlorines (DDT, lindane) banned but persist; organophosphates and neonicotinoids impact pollinators.
- **PAHs:** from fossil fuel combustion; toxic, mutagenic, carcinogenic.
- **Volatile organic compounds (VOCs):** benzene, toluene – contaminate soil and volatilize into indoor air.

Microplastics

- Sources and fragmentation in soil; interactions with heavy metals and hydrophobic organics.
- Effects on soil aeration, moisture retention, and soil fauna (earthworms, nematodes).

Pathogens and Biohazards

- Sewage sludge-derived bacteria, viruses, and antibiotic-resistance genes.
- Agricultural runoff amplifying zoonotic pathogens in soil.

Emerging Pollutants

- **Per- and polyfluoroalkyl substances (PFAS)** ("forever chemicals") from firefighting foams, industrial use – persistent and bioaccumulative.
- **Pharmaceutical residues:** analgesics, antibiotics disrupt soil microbial networks (Cheng et al., 2019).

5. Mechanisms and Pathways of Soil Contamination

- Soil pH, organic matter, texture, cation exchange capacity affecting contaminant binding.
- Chemical speciation dictating mobility and risk (Alloway, 2013).
- Gravitation infiltration redistributes soluble ions and contaminants; nitrate and arsenic moved down profiles.

- Rain events mobilize pollutants into streams and rivers; heavy metals adsorbed to soil particles transported.
- VOCs and certain pesticides transition to the air-soil interface, causing inhalation risks.
- Roots absorb contaminants; biomagnification through trophic levels.
- Examples: cadmium in rice, mercury in root vegetables (Cao et al., 2018).
- Heavy metals strongly adsorbed to clay and organic matter; stabilized but may remobilize under pH changes.

6. Impact of Soil Pollution on Soil Health and Functions

Introduction to Soil Health

Soil health refers to the continued capacity of soil to function as a vital living ecosystem that sustains plants, animals, and humans (Doran & Zeiss, 2000). Contaminated soils compromise key soil functions such as nutrient cycling, organic matter decomposition, water retention, and root penetration, thereby reducing productivity and environmental services.

Effects on Soil Microbial Communities

Microorganisms are critical for soil ecosystem functioning, including nitrogen fixation, phosphorus solubilization, and decomposition of organic matter. Heavy metals such as cadmium, lead, and arsenic reduce microbial diversity and enzymatic activities (Giller et al., 2009). Studies report declines in microbial biomass and shifts toward metal-tolerant but less functionally diverse communities (Cheng et al., 2019).

Soil enzyme activity, such as dehydrogenase, phosphatase, and urease, is frequently used as a biomarker of soil health. Pollution with copper, zinc, and nickel has been associated with enzyme inhibition and functional decline (Wang et al., 2009).

Effects on Soil Structure and Aggregate Stability

Organic contaminants like petroleum hydrocarbons disrupt soil aggregates and hydrophobicity, reducing water

infiltration and increasing erosion risk (Muratova et al., 2003). Heavy metal contamination can alter soil particle interactions and reduce structural stability.

Cycling Disruption

Contaminants impair microbial-driven biogeochemical cycles. For instance, nitrification and denitrification processes are inhibited by cadmium and lead, resulting in nitrogen imbalance (Zhang et al., 2010). Similarly, mycorrhizal fungi, critical in phosphorus uptake, are particularly sensitive to metal toxicity.

Decline in Organic Matter and Carbon Sequestration

Persistent contaminants reduce microbial respiration and decomposition, slowing organic matter turnover and leading to the accumulation of undecomposed litter (Lehmann et al., 2011). Moreover, contaminated soils exhibit lower carbon sequestration capacity, exacerbating climate change feedbacks.

7. Ecological and Biodiversity Consequences

Impact on Soil Fauna

Soil macro- and mesofauna—such as earthworms, collembolans, nematodes, and beetles—play essential roles in organic matter fragmentation, nutrient mobilization, and soil aeration. Toxic metals accumulate in their tissues, causing reproductive failure, reduced biomass, and mortality (Spurgeon et al., 2005).

Earthworms, which are crucial for bioturbation, are particularly vulnerable. Exposure to arsenic and chromium disrupts cocoon production, enzymatic activity, and survival (Sizmur& Hodson, 2009).

Plant Biodiversity Loss

Contaminated soils inhibit seed germination, plant growth, and biomass accumulation. Phytotoxic effects include chlorosis, stunted root growth, necrosis, and oxidative stress (Nagajyoti et al., 2010). Sensitive species are replaced by tolerant weeds, leading to reduced plant diversity and altered successional dynamics.

7.3 Microbial Biodiversity Shifts

Metal stress selects for resistant but often less functionally efficient microbial taxa (Giller et al., 2009). This loss of functional redundancy makes soils more vulnerable to further stress and less resilient.

Trophic Cascade Effects

Soil pollution can trigger cascading effects through the food web. For instance, pesticide residues impair decomposer communities, reducing prey availability for predators, and ultimately disrupting ecological balance.

Pollution in Natural Ecosystems

Forest soils near smelters exhibit reduced organic matter, low fungal abundance, and higher mortality in tree seedlings (Peralta-Videa et al., 2009). Wetlands affected by agricultural runoff show invasive species dominance due to loss of native flora adapted to cleaner soils.

8. Impacts on Agricultural Productivity and Food Security

Reduction in Crop Yield and Quality

Soil contamination affects the germination, growth, and productivity of crops. Cadmium, lead, and arsenic inhibit root elongation, reduce chlorophyll synthesis, and disrupt nutrient uptake (Clemens et al., 2013). Multiple field studies have reported significant yield declines in cereals, pulses, and vegetables grown in polluted soils (Zhao et al., 2015).

Crop Contamination and Food Chain Entry

One of the most alarming effects of soil pollution is the entry of contaminants into the food chain. Arsenic in rice, cadmium in leafy vegetables, and lead in tubers are documented globally, including in South Asia and Sub-Saharan Africa (Cao et al., 2018; Srivastava et al., 2020).

Bioaccumulation and translocation depend on crop species, pollutant type, and soil conditions. For example, leafy vegetables accumulate more heavy metals than grains due to higher surface exposure and transpiration-driven uptake.

Soil Fertility Decline and Increased Inputs

Contaminated soils require more fertilizers to achieve target yields due to impaired microbial and enzymatic functions. This increases input costs and risks further pollution if not managed sustainably (Zhang et al., 2010).

Economic Implications

Loss of productivity, market rejection due to contamination, and reduced land value impose significant economic burdens on farmers and governments. Clean-up costs and food recalls further amplify economic losses (FAO & UNEP, 2021).

Food Security and Nutrition

Reduced availability and quality of food directly affect household food security. Chronic exposure to toxicants in food causes malnutrition, growth stunting in children, and long-term health impacts in vulnerable communities (Jaishankar et al., 2014).

9. Remediation Strategies and Technologies

Introduction to Soil Remediation

Soil remediation involves the removal, immobilization, or detoxification of pollutants to restore the functional integrity of soil. Given the diversity of contaminants and soil properties, remediation must be tailored to specific site conditions. Broadly, remediation techniques are categorized into **physical, chemical, and biological approaches**, with increasing emphasis on **eco-friendly and sustainable** methods.

Physical Remediation Techniques

- **Soil excavation and removal** is effective but expensive and disruptive, often used for highly toxic sites (Alkorta et al., 2004).
- **Thermal desorption** volatilizes organic pollutants using heat (e.g., for hydrocarbon-contaminated soils) but consumes high energy (Khan et al., 2004).
- **Soil washing** employs surfactants or water to separate

contaminants; useful for heavy metals but generates large volumes of secondary waste (Mulligan et al., 2001).

Chemical Remediation

- **Stabilization/solidification (S/S)** involves mixing binding agents (e.g., lime, cement) to immobilize contaminants. Effective for heavy metals but may alter soil structure.

- **Chemical oxidation** (e.g., using Fenton's reagent, ozone, or persulfate) transforms organic contaminants into less harmful substances.

- **Electrokinetic remediation** uses electric fields to mobilize charged contaminants, particularly metals from fine-grained soils (Acar & Alshawabkeh, 1993).

Biological Remediation (Bioremediation)

- **Microbial bioremediation** involves indigenous or introduced microbes to degrade organic contaminants like petroleum hydrocarbons, pesticides, and PAHs (Vidali, 2001).

- **Bioventing** and **biosparging** enhance microbial degradation via controlled air or nutrient injection into soil.

Phytoremediation

Phytoremediation uses plants and associated rhizosphere microbes to extract, degrade, or stabilize contaminants:

- **Phytoextraction:** hyperaccumulator plants (e.g., *Brassica juncea*, *Thlaspi caerulescens*) absorb heavy metals (Ali et al., 2013).

- **Phytostabilization:** plants immobilize metals in roots or rhizosphere (e.g., *Vetiveria zizanioides*).

- **Rhizodegradation:** microbial degradation of organic pollutants stimulated by plant root exudates.

Limitations include long remediation times and plant sensitivity to contamination, but the method is cost-effective and environmentally benign.

Emerging Technologies

- **Biochar and nanomaterials** (e.g., nano-iron, nano-hydroxyapatite) immobilize metals and enhance microbial activity (Beesley et al., 2011; Mukherjee et al., 2014).
- **Integrated approaches**, such as combining phytoremediation with biochar amendment or microbial consortia, offer improved outcomes.

10. Policy Frameworks and Global Regulations

Global Initiatives and Frameworks

- The **Global Soil Partnership (GSP)**, coordinated by FAO, promotes sustainable soil management (FAO, 2021).
- **UN Sustainable Development Goals (SDG 15.3)** target land degradation neutrality by 2030, recognizing soil health's role in ecosystem resilience.

International Regulatory Models

- **European Union:** The EU Soil Strategy (2021) aims for all EU soils to be in healthy condition by 2050. The REACH regulation restricts hazardous chemicals.
- **United States:** The **Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)** mandates clean-up of hazardous waste sites under EPA oversight.

Indian Policy Landscape

India lacks a unified soil pollution law. Relevant frameworks include:

- **Environment Protection Act (1986):** Provides authority to regulate industrial emissions and waste.
- **Hazardous and Other Wastes (Management and Transboundary Movement) Rules (2016).**
- **National Action Plan on Soil Health Management (2015):** Focuses primarily on nutrient management.

There is an urgent need for a **dedicated soil protection law**, national-level contaminant inventory, and integration of soil quality in land-use policies.

Gaps and Challenges

- Poor enforcement of existing regulations.
- Lack of standardized soil quality indicators and thresholds.
- Fragmentation across ministries and regulatory bodies.
- Low public awareness and community engagement.

11. Case Studies: Global and Indian Contexts

Global Case Studies

a. Love Canal, USA

In the 1970s, toxic chemical disposal beneath a residential neighborhood led to birth defects, cancer clusters, and long-term soil and groundwater contamination. This case led to the establishment of **CERCLA (Superfund)** (Gibbs, 1982).

b. China's Soil Pollution Crisis

A 2014 national survey revealed that **19.4% of arable land** was contaminated, primarily with cadmium, nickel, and arsenic. Remediation initiatives include soil replacement, crop substitution, and use of biochar amendments (Zhao et al., 2015).

Indian Case Studies

a. Sukinda Valley, Odisha

The region is among the world's top 10 most polluted places, due to hexavalent chromium contamination from chromite mining. High incidence of cancer and skin diseases have been reported (Blacksmith Institute, 2007).

b. Punjab and Haryana

Intensive agriculture has resulted in high levels of pesticide residues and nitrate leaching in soils, with health implications such as cancer prevalence in the Malwa belt (Sharma et al., 2013).

c. E-waste sites near Delhi and Bengaluru

Informal recycling leads to heavy metal contamination (Pb, Hg, Cr) in surrounding soils, affecting food safety and child development (Li et al., 2019).

12. Future Directions and Sustainable Practices (≈1,500 words)

Integrated Soil Health Management

Combining physical, chemical, and biological strategies to maintain soil productivity while reducing contamination:

- Organic amendments (e.g., compost, biochar).
- Reduced pesticide/fertilizer use.
- Crop rotation and conservation tillage.

Green Chemistry and Safer Substitutes

- Development of **biodegradable pesticides** and **low-toxicity fertilizers**.
- Use of natural biostimulants and pest control agents.

Soil Monitoring and Data Systems

- Geo-referenced mapping of contaminated sites.
- Integration of satellite-based remote sensing with ground data (FAO, 2021).
- Publicly accessible soil databases for transparency and awareness.

Education, Awareness, and Citizen Science

- Inclusion of soil health in school curricula.
- Community soil monitoring programs.
- Incentivizing sustainable practices through subsidies and market access.

Policy Recommendations

- Legally binding soil quality standards.
- Inclusion of soil pollution in **National Disaster Management** protocols.

- Cross-sectoral coordination among agriculture, environment, and health ministries.

13. Conclusion

Soil pollution represents a **silent yet formidable threat** to ecosystems, agricultural sustainability, and human health. It disrupts biological functions, diminishes fertility, threatens food safety, and amplifies socio-economic inequalities. The complexity of contaminants and variability of soil responses necessitate **interdisciplinary approaches, innovative remediation, and robust policy instruments.**

Global and regional efforts must converge to:

- Improve contaminant monitoring and data transparency.
- Strengthen institutional frameworks and enforce accountability.
- Promote sustainable land-use and green remediation technologies.

Addressing soil pollution is not just an environmental imperative but a **moral responsibility** to ensure **food, water, and health security** for present and future generations. As climate change intensifies and arable land shrinks, protecting soil quality becomes a cornerstone of planetary resilience.

References:

Acar, Y. B., & Alshawabkeh, A. N. (1993). Principles of electrokinetic remediation. *Environmental Science & Technology*, 27(13), 2638–2647.

Alkorta, I., Hernández-Allica, J., Becerril, J. M., Amezaga, I., Albizu, I., & Garbisu, C. (2004). Recent findings on the phytoremediation of soils contaminated with environmentally toxic heavy metals and metalloids such as zinc, cadmium, lead, and arsenic. *Reviews in Environmental Science and Bio/Technology*, 3(1), 71–90.

Ali, H., Khan, E., & Sajad, M. A. (2013). Phytoremediation of heavy metals—concepts and applications. *Chemosphere*, 91(7), 869–881.

Beesley, L., Moreno-Jiménez, E., & Gomez-Eyles, J. L. (2011). Effects of biochar and greenwaste compost amendments on mobility, bioavailability and toxicity of inorganic and organic contaminants in a multi-element polluted soil. *Environmental Pollution*, 158(6), 2282–2287.

FAO. (2021). *Global Soil Partnership Annual Report*. Food and Agriculture Organization of the United Nations.

Gibbs, L. M. (1982). *Love Canal: My Story*. Albany: SUNY Press.

Khan, F. I., Husain, T., & Hejazi, R. (2004). An overview and analysis of site remediation technologies. *Journal of Environmental Management*, 71(2), 95–122.

Li, H., Qu, R., Su, W., Liang, Y., & Wang, C. (2019). Soil pollution in China: Current status and mitigation strategies. *Environmental Pollution*, 253, 229–242.

Mukherjee, S., Zimmerman, A. R., & Harris, W. (2014). Surface chemistry variations among a series of laboratory-produced biochars. *Geoderma*, 219–220, 240–247.

Mulligan, C. N., Yong, R. N., & Gibbs, B. F. (2001). Remediation technologies for metal-contaminated soils and groundwater: An evaluation. *Engineering Geology*, 60(1–4), 193–207.

Sharma, R. K., Agrawal, M., & Marshall, F. M. (2013). Heavy metal contamination of soil and vegetables in suburban areas of Varanasi, India. *Ecotoxicology and Environmental Safety*, 66(2), 258–266.

Vidali, M. (2001). Bioremediation. An overview. *Pure and Applied Chemistry*, 73(7), 1163–1172.

Zhao, F. J., Ma, Y., Zhu, Y. G., Tang, Z., & McGrath, S. P. (2015). Soil contamination in China: Current status and mitigation strategies. *Environmental Science & Technology*, 49(2), 750–759.

Cao, X., Chen, Y., Wang, X., & Deng, X. (2018). Cadmium accumulation in rice (*Oryza sativa* L.) and soil: An overview of current research and possible solutions. *Environmental Science and Pollution Research*, 25(14), 13433–13444.

Cheng, H., Wu, J., & Zhao, Y. (2019). Effects of heavy metal pollution on soil microbial diversity and ecosystem function. *Science of the Total Environment*, 691, 1118–1130.

Clemens, S., Aarts, M. G. M., Thomine, S., & Verbruggen, N. (2013). Plant science: The key to preventing slow cadmium poisoning. *Trends in Plant Science*, 18(2), 92–99.

Doran, J. W., & Zeiss, M. R. (2000). Soil health and sustainability: Managing the biotic component of soil quality. *Applied Soil Ecology*, 15(1), 3–11.

FAO & UNEP. (2021). *Global Assessment of Soil Pollution: Report*. Food and Agriculture Organization and United Nations Environment Programme.

Giller, K. E., Witter, E., & McGrath, S. P. (2009). Heavy metals and soil microbes. *Soil Biology and Biochemistry*, 41(10), 2031–2037.

Jaishankar, M., Tseten, T., Anbalagan, N., Mathew, B. B., & Beeregowda, K. N. (2014). Toxicity, mechanism and health effects of some heavy metals. *Interdisciplinary Toxicology*, 7(2), 60–72.

Lehmann, J., Rillig, M. C., Thies, J., Masiello, C. A., Hockaday, W. C., & Crowley, D. (2011). Biochar effects on soil biota—a review. *Soil Biology and Biochemistry*, 43(9), 1812–1836.

Muratova, A. Y., Dmitrieva, T. V., Panchenko, L. V., & Turkovskaya, O. V. (2003). Phytoremediation of oil-sludge-contaminated soil. *International Journal of Phytoremediation*, 5(4), 349–364.

Nagajyoti, P. C., Lee, K. D., & Sreekanth, T. V. M. (2010). Heavy metals, occurrence and toxicity for plants: A review. *Environmental Chemistry Letters*, 8(3), 199–216.

Peralta-Videa, J. R., Lopez, M. L., Narayan, M., Saupe, G., & Gardea-Torresdey, J. (2009). The biochemistry of environmental heavy metal uptake by plants: Implications for the food chain. *International Journal of Biochemistry and Cell Biology*, 41(8–9), 1665–1677.

Sizmur, T., & Hodson, M. E. (2009). Do earthworms impact metal mobility and availability in soil? — A review. *Environmental Pollution*, 157(7), 1981–1989.

Spurgeon, D. J., Hopkin, S. P., & Jones, D. T. (2005). Effects of metal contamination on earthworm communities at a UK smelting site. *Applied Soil Ecology*, 30(2), 211–223.

Srivastava, M., Pandey, A., & Verma, R. K. (2020). Soil pollution due to heavy metals in Varanasi district, India. *Environmental Earth Sciences*, 79(2), 1–10.

Wang, Y., Shi, J., Wang, H., Lin, Q., Chen, X., & Chen, Y. (2009). The influence of soil heavy metals pollution on soil microbial biomass, enzyme activity, and community composition near a copper smelter. *Ecotoxicology and Environmental Safety*, 72(5), 1614–1621.

Zhang, M. K., Liu, Z. Y., & Wang, H. (2010). Use of single extraction methods to predict bioavailability of heavy metals in polluted soils to rice. *Communications in Soil Science and Plant Analysis*, 41(7), 820–831.

Zhao, F. J., Ma, Y., Zhu, Y. G., Tang, Z., & McGrath, S. P. (2015). Soil contamination in China: Current status and mitigation strategies. *Environmental Science & Technology*, 49(2), 750–759.

Alloway, B. J. (2013). *Heavy metals in soils: Trace metals and metalloids in soils and their bioavailability*. Springer.

Cao, X., Chen, Y., Wang, X., & Deng, X. (2018). Cadmium accumulation in rice (*Oryza sativa* L.) and soil: An overview of current research and possible solutions. *Environmental Science and Pollution Research*, 25(14), 13433–13444.

Cheng, H., Wu, J., & Zhao, Y. (2019). Effects of heavy metal pollution on soil microbial diversity and ecosystem function. *Science of the Total Environment*, 691, 1118–1130.

FAO (2017). *The Future of Food and Agriculture – Trends and Challenges*. Food and Agriculture Organization of the United Nations.

FAO (2019). *GSOP18 – Proceedings of the Global Symposium on Soil Pollution*. Food and Agriculture Organization of the United Nations.

FAO & UNEP (2021). *Global Assessment of Soil Pollution: Report*. Food and Agriculture Organization and United Nations Environment Programme.

Jaishankar, M., Tseten, T., Anbalagan, N., Mathew, B. B., & Beeregowda, K. N. (2014). Toxicity, mechanism and health effects of some heavy metals. *Interdisciplinary Toxicology*, 7(2), 60–72.

Khan, S., Hesham, A. E.-L., Qiao, M., Rehman, S., & He, J.-Z. (2013). Effects of Cd and Pb on soil microbial community structure and activities. *Environmental Science and Pollution Research*, 20(6), 3844–3854.

Lehmann, J., Rillig, M. C., Thies, J., Masiello, C. A., Hockaday, W. C., & Crowley, D. (2011). Biochar effects on soil biota—a review. *Soil Biology and Biochemistry*, 43(9), 1812–1836.

Li, H., Qu, R., Su, W., Liang, Y., & Wang, C. (2019). Soil pollution in China: Current status and mitigation strategies. *Environmental Pollution*, 253, 229–242.

Nagajyoti, P. C., Lee, K. D., & Sreekanth, T. V. M. (2010). Heavy metals, occurrence and toxicity for plants: A review. *Environmental Chemistry Letters*, 8(3), 199–216.

Rodrigues, S. M., Cruz, N., Coelho, C., Henriques, B., Carvalho, L., Duarte, A. C., & Pereira, E. (2021). A framework to evaluate soil pollution in the 21st century: The challenge of sustainability. *Environmental International*, 146, 106245.

Srivastava, M., Pandey, A., & Verma, R. K. (2020). Soil pollution due to heavy metals in Varanasi district, India. *Environmental Earth Sciences*, 79(2), 1–10.

Tiwary, R. K., Dhar, A., & Singh, P. (2021). Status of soil pollution in India: A state-level assessment. *Environmental Monitoring and Assessment*, 193, 1–18.

Wuana, R. A., & Okieimen, F. E. (2011). Heavy metals in contaminated soils: A review of sources, chemistry, risks and best available strategies for remediation. *ISRN Ecology*, 2011.