

Cloud-Based Technologies

Dr. Ranjan Kumar Mondal

Assistant Professor, Department of CSE, Swami
Vivekananda University, Kolkata, WB

ranjankm@svu.ac.in

Abstract:

The next phase of technology is thought to be cloud computing. Users may access software and data stored on distant servers and other high-quality services using this web-based technology. Cloud computing is similar to data outsourcing in that the customer receives storage services from an outside party. It is possible to provide consumers with high-quality results without incurring significant costs for programming and equipment related to information storage. With cloud computing, you may satisfy customer needs and applications without maintaining a hardware and software infrastructure. It may be seen as a whole or partial outsourcing of software and hardware resources. A standard web browser and a quick Internet connection are needed to access cloud apps. It provides scalable, on-demand access to a shared resource pool housed at the provider's premises in a data center.

Keywords: Grid computing, SOA, virtualization, cloud computing, cloud technologies, and utility computing.

1. Introduction

Clouds are networks or the Internet. This suggests that cloud computing can be accessed from a distance. Benefits from the cloud may be gained via systems or the web, whether they are private or public systems. Cloud-based applications like email, online conferencing, and customer relationship management (CRM) remain operational (Boss et al., 2007).

Cloud computing is based on web computing, in which customers may access software infrastructure platforms, devices, and other resources and hosting via virtual shared servers in exchange for payment as they use the services. In this approach, everything data that a digital system has to offer is offered as a service(M. A, n.d.).

Cloud computing offers many benefits to its customers, including access to a wide range of applications without needing a license, purchase, introduction, or download of any of these programs. Because no infrastructure is required, software and machine installation and operating expenses are also lower. Customers must interact with a system (often the Internet) to access data from anywhere.

Clients of cloud computing rent use from a third-party provider rather than owning the actual infrastructure. They pay just for the resources they use, using resources as a service. The majority of distributed computing foundations consist of server-based and regular focus services (D. A, n.d.).

Any modern firm has to start determining where exactly Cloud Computing (CC) is needed in its operations to obtain a competitive edge and stay competitive in its industry. Pay-per-use is a unique feature of cloud computing, where users only pay for the services they utilize.

This document briefly explains cloud computing, outlining its services and deployment techniques while highlighting various.

Characteristics of cloud computing as well as cloud computing technology.

Compared to conventional storage systems, cloud computing provides organizations with more storage. Updates to software are increasingly automated, and fewer highly skilled IT employees are working [2].

Many services and models operate in the background to make cloud computing accessible and valuable for end users. There are primarily two types of distributed computing working models:

Different models and types of services operating in the background make distributed computing feasible and accessible to end users. There are primarily two types of distributed computing working models:

A. Models of Deployment.

B. Service Frameworks.

A. Deployment models describe how the cloud may be accessed or how one finds it. The cloud distinguishes four categories of accessibility: Private, Public, Hybrid, and Community.

1) Public cloud: Any external client may register on the internet and use this cloud, which offers pay-per-use resources for customers. This one is not as secure as a private cloud. Its openness makes it accessible to all internet users. Comparatively speaking, it is less configurable than a private cloud. A sizable Cloud Service Provider (CSP) owns and operates the cloud infrastructure. The cloud provider is responsible for building and maintaining public and IT resources. The external cloud, also known as the open cloud, is where resources are forcefully provided on a self-benefit basis over the internet.

Email, Google App Engine, Windows Azure or Microsoft Azure, and Amazon Elastic Compute Cloud (EC2) are a few examples.

2) Private cloud configured explicitly inside an organization's data center. They manage all cloud resources that belong to the organizations. Unlike an open or hybrid cloud, the private cloud provides better protection. Although private cloud resources are more expensive than public clouds, they provide more productivity. The cloud exists within and beyond the organization's boundaries and is managed by an association that only provides services. A private cloud, often known as an internal or corporate cloud, provides devices enabled to a pre-agreed number of users behind a firewall.

3) Community cloud: A few organizations collaborate to develop and provide a comparable cloud infrastructure, along with regulations, standards, values, and considerations.

The community cloud forms a degree of democratic balance and economic scalability. One of the community groups or a third-party provider might provide the cloud infrastructure. A few firms manage the cloud, which supports a specific community with a similar fascination. Compared to public clouds, community clouds are even more secure.

4) Hybrid cloud: This is a collection of communal, private, and public clouds. Public clouds perform non-essential tasks, while private clouds handle crucial tasks. Hybrid clouds may save money since they are less expensive than private clouds. Since hybrid cloud models rely on internal IT infrastructure, it is critical to ensure excess across data centers.

A cloud client may, for instance, transfer some cloud services—those involving sensitive data—to a private cloud and other, less sensitive cloud services—to a public cloud.

B. Service models: A cloud's capabilities, referred to as services, allow it to interact with a client or application in various ways. The functional models on which cloud computing is built are called service models. Three main service models or sorts of services have arisen over the internet.

1. As a Service Infrastructure (IaaS).
2. Software as a Platform (SaaS).
3. Cloud-based software (SaaS).

1) Infrastructure as a service (IaaS): Cloud computing providers give more capacity for arranging devices, real and virtual computers, etc. Virtual machines are managed by hypervisors grouped into pools and managed by functional networks providing emotional support. Cloud customers are responsible for installing their application programming and operating system images on the virtual machines. IaaS gives the cloud provider a valuable means of publicly locating the infrastructure over the Internet. IaaS resources are made available to rent to customers, including storage, bandwidth, IP addresses, firewalls, virtual machines, monitoring services, and more. The customer's pay depends on how long they can keep the resource.

Examples include Google Compute Engine, Amazon EC2, Windows Azure, and Rackspace.

2) Platform as a service (PaaS): This refers to providing an online application development and deployment platform to developers, enabling them to quickly create, implement, and maintain SaaS applications. Additionally, it provides the deployment and improvement tools needed to develop applications. A point-and-snap tool at the core of PaaS enables non-designers to build web apps. The buyer is not required to acquire pricey power supplies, servers, equipment, or data storage. Therefore, scaling up or down in response to application resource needs is not problematic.

Force.com, Google, Windows Azure, AWS Elastic Beanstalk, Engine, and Apache StratosApp are a few examples.

3) Software as a Service (SaaS): This refers to the delivery of applications (such as CRM or ERP) to end users via browsers on the internet. Cloud service customers may use what is now installed and operational on cloud infrastructure. This way, installing and using the software program on PCs alone is not required. Additionally, there is a decreased requirement for software support and maintenance. Certain SaaS apps, like the Office Suite, are not flexible. SaaS provides an application programming interface (API), allowing developers to create unique applications like Microsoft Office 365 and Google Apps.

2. The features of cloud computing

To satisfy customer or user needs and provide high-quality services, cloud computing has some of the following features.

1) Excellent scalability refers to the capacity to offer resources on a massive scale upon request without needing human interaction with every service provider.

2) High availability and dependability: The infrastructure has fewer opportunities to fail because of the servers' increased and more dependable availability [4].

3) Agility: It operates swiftly and distributes resources among users.

4) Multi-sharing: By sharing the basic infrastructure via distributed computing, different customers and applications operate even more effectively and at a lower cost.

5) Maintenance: Since cloud computing apps don't need to be installed on every device and can be accessed from various locations, maintenance is more straightforward and ultimately less expensive.

6) Low cost: Since the business no longer has to build its infrastructure, it is a cost-effective solution. It pays according to the amount of resources used.

7) Pay-per-use services: Clients are provided with APIs (Application Programming Interfaces) to access cloud services and are charged according to use.

8) On-Demand Self-Service: Cloud computing allows customers to access resources and services for in-person communication with cloud service providers upon request. A website login is available at any time.

Then put them to use. Processing power, storage, and virtual machines are examples of computing resources.

9) Wide network access: Using various devices, including PCs, laptops, mobile phones, and tablets, users may access resources like virtual machines, storage, and computing power over the Internet. Since cloud computing is internet-based, it may be accessible from anywhere at any time [5].

10) Resource Pooling: Many cloud computing users may share a pool of resources, including hardware, software, and a single physical database instance. For example, many virtual machines owned by various people may be hosted on a real server [6].

11) Quick elasticity: Increasing or decreasing resources at any moment is relatively simple. Resources presently allocated to or utilized by clients are automatically tracked, enabling this.

12) Measured Service: A cloud provider that offers measured services oversees and manages every aspect of the cloud service. Capacity planning, resource billing, optimization, and other factors play a role.

3. Technologies For Cloud Computing

The cloud computing platform is being supported by several advancements that are aiming to make it dependable, flexible, and easy to use:

- A. Sophistication
- B. SOA, or service-oriented architecture
- C. Grid-based computing
- D. Practical Computing

1. The process of virtualization

The process of virtualization grants permission for many users or an organization to share a physical instance of a resource or program. This is accomplished by giving a physical resource a logical name and, when needed, supplying a reference to it [7]. The primary use of this technique is to provide cloud customers with standard versions of the apps. For instance, the cloud provider should provide its customers access to the upgraded version of the program whenever it is published. For example, virtualized IT frameworks are available upon request from VMware and Xen. As virtual systems advance, consumers may access cloud resources within a customized network environment thanks to services like Virtual Private Networks (VPNs). Since virtualization methods provide flexible and scalable hardware services, they form the foundation of cloud computing. By delivering virtual disengagement between tenants, the multitenant architecture enables businesses to use and alter the program in the same manner each has its instance running.

Virtualization Types

The kinds of virtualization that follow are:

- 1. Virtualization of Hardware
- 2. Virtualization of operating systems
- 3. Virtualization of Servers
- 4. Virtualization of Storage

1) Hardware virtualization: This refers to installing the Virtual Machine Manager (VMM) or Virtual Machine Software (VMS) directly on the hardware system. Because managing a virtual computer is more straightforward than working on a real server, hardware virtualization is used for the server platform. Virtualization comes in several forms.

2) Operating System Virtualization: This refers to installing the Virtual Machine Manager (VMM) or Virtual Machine Software (VMS) on the host operating system rather than the hardware system directly. Operating System Virtualization has made testing apps across different OS systems easier.

3) Server Virtualization: This refers to installing Virtual Machine Manager (VMM) or Virtual Machine Software (VMS) directly on the server system. Server virtualization is utilized when a single physical server is split into many servers to balance the load on a demand basis.

4) Storage Virtualization: Storage virtualization assembles physical storage from several network storage devices. It seems that a single storage device aggregates many into physical storage. Virtualization of storage is used for recovery and backup.

B. Service-Oriented Architecture (SOA):

In a service-oriented architecture, applications are used as a service for other applications, regardless of the vendor, product, or invention. This makes information sharing between several sellers' uses possible without requiring additional programming or service upgrades. The figure depicts cloud computing Service-Oriented Architecture.

SOA is an application framework that separates typical business applications into distinct

Business processes and functions are known as Services. This aspect of cloud innovation gives associations access to cloud-based registration arrangements with features that can be changed on demand in response to changing business needs. Service-oriented architecture (SOA) transfers the responsibility and costs of web benefit parts' development, deployment, and support to the web services provider,

allowing a web services buyer to access various web services without incurring the overhead associated with traditional IT service delivery methods. SOA is a successful mechanical component of distributed computing because it encourages integrated appropriation and fragment reuse, fundamentally lowering the expense of programming advancement and delivery. Quality of Service (QoS) and Software as a Service (SaaS), two key ideas that are also essential to cloud computing, are introduced and disseminated via service-oriented computing [8]. Software as a Service offers a new application delivery paradigm. Quality of Service specifies a collection of functional and non-functional criteria that may assess a service's behavior from several angles. The realm of Application Service Providers (ASPs) is where it originated.

C. Utilizing grid computing:

Grid computing is a kind of distributed computing in which many computers from various locations are networked to accomplish a shared objective. There are differences in regional distributions in the computer resources. As a result, grid computing divides a big issue into smaller ones, which are then distributed among systems that are part of the grid. The goal of the grid system is resource sharing via large-scale, distributed cluster computing. Grid computing is widely used in e-science, a study where cooperation between data sources, computer services, and massive processing capacity is often needed.

Arranging Grid applications may be a very complex task, especially when managing the flow of information between distributed registration resources. Network work process frameworks are specific work procedure management frameworks designed to develop and carry out a series of work processes, computational or information control procedures, or grid configuration.

Conclusion

More straightforward. An overview of cloud computing, deployment models, service models, cloud computing methodologies, virtualization, SOA, grid computing, and cloud computing utilities is made clear in this article. We

intended to focus on introducing and illustrating the emerging trends in the technology used to provide cloud-based services. Numerous studies have been conducted to give customers on-request advantages and minimize downtime when transferring virtual machine memory from one physical host to the next. Later, we'll try to bring them together to provide a rational framework for describing, locating, forming, and managing.

The cloud comprises network components and computational resources based on the SOA concept. This method will provide the scalability and flexibility required to ensure that the diverse resources forming the cloud and systems work together. We will focus on how systems are created dynamically to shape the cloud and allow "cloud services" to be disclosed, degraded, and executed upon request. Under SOA, these administrations' connections and arrangements will ideally be handled.

References:

A, D. (n.d.). Cloud computing: What accountants need to know. *Journal of Accountancy* (October), 50–55.

A, M. (n.d.). *A history of cloud computing*.

Boss, G., Malladi, P., Quan, D., Legregni, L., & Hall, H. (2007). *Cloud Computing*. www.ibm.com/developerworks/websphere/zones/hipods/